


APPLICATION

Installation of outdoor air-conditioning condensing units

DIMENSIONS



PRODUCT INFORMATION

Product Range:

Supports

Product Group:

Mountblocs

Ref	Description
0502.00012.007	MBM 350 Socle 6x2 pcs - White
0502.00013.008	MBM 450 Socle 6x2 pcs - White
0502.00017.009	MBM 1000 Socle 2 pcs - White

STANDARD COLOR

White (also available in black on request)

FEATURES & BENEFITS

- Recommended maximum spread load capacity: 150Kg/pc
- Fixation bolts included
- Adapted to most units, fixation through sliding rail
- Quick and fast installation
- Anti-Vibration stripes contributing to sound and vibration dampening

MATERIAL

UV-resistant Rigid PVC

TEMPERATURE RANGE


Between -20°C/-4°F to +60°C/140°F in a static position

PACKING INFORMATION

Ref	Commercial Ref	Description	Length	Packing/Box	Packing/Pallet
0502.00012.007	MBM.350W	MBM 350 Socle 6x2 pcs - White	350 mm	6 x 2 pcs	756 pcs = 63 sets
0502.00013.008	MBM.450W	MBM 450 Socle 6x2 pcs - White	450 mm	6 x 2 pcs	660 pcs = 55 sets
0502.00017.009	MBM.1000W	MBM 1000 Socle 2 pcs - White	1000 mm	2 pcs	448 pcs = 224 sets

ACCESSORIES

INJ.437W





END CAP

A12



FIXATION SET



Includes

- 4x Fixation plate
- 4x Hexagon head bolt M6 + exp. anchor
- 4x washers M6

Accessories need to be ordered as separate additional products

PACKING INFORMATION

Ref	Commercial Ref	Description	Packing	Packing/box
0502.00019.036	INJ.437W	End Cap MBM - White	4 pcs / bag	100 pcs
0502.0000.000	A.12	Mountbloc Fixation Plate	4 sets / bag	200 sets

DISCLAIMER

Castel Engineering, Rue de la Royenne 84, B-7700 Mouscron, Tel +32 (0) 56 33 68 40 – Fax. +32 (0) 56 33 78 10
Copyright © 2015 Castel Engineering – All rights reserved. Tous droits réservés
Traduction disponible sur simple demande écrite.

Those who in any way utilize the product(s) are solely responsible for determining (a) the suitability of the product for the intended use, (b) the appropriate manner of processing and maintaining the product to ensure safety and quality and (c) chemical, physical and health effects related to those activities, (d) to inform themselves in order to be able to decide if specific tests are necessary for their intended use* in respect to norms and regulations in application at the location of their intended use*.

The product should be installed with respect to possible climatic and seismic conditions when in use and during the installation and in conformity to the installation instructions and recommendations of the manuals of the air conditioning device.

The qualified installer is supposed to have professional knowledge

Appropriate tools and materials for installation and for maintenance must be selected and used according to the professional know-how, in respect with the nature of our products and in compliance with all procedures and regulations in application at the location of installation.

All above parameters, factors, operations, regulations, compliances and procedures are totally beyond Castel Engineering sa and its Affiliates' control.

By selling this product Castel Engineering sa and its Affiliates acts in a simple sale – purchase transaction.

Castel Engineering and its Affiliates disclaim any and all responsibility and liability for the use of any such data, information and/or the relevant product.

All dimensions in this document are in mm unless otherwise specified.

* See applicatoin