



INSTITUTE FOR TESTING AND CERTIFICATION, a.s.
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic
Division CSI – Centre of Civil Engineering



Notified Body No. 1023

CERTIFICATE OF CONSTANCY OF PERFORMANCE

1023-CPR-1213 P

Construction product: **Factory made mineral wool products ROCKWOOL
used for building equipment and industrial
instalations**

according to list given in the annex to the certificate

Placed on the market under
the name or trade mark of: **ROCKWOOL Polska, Sp. z.o.o.**
ul. Kwiatowa 14, PL 66-131 Cigacice
Poland

Manufacturing plant: **ROCKWOOL Polska, Sp. z.o.o.**
ul. Kwiatowa 14, PL 66-131 Cigacice (product line CIG1;
CIG4)
Poland

Relevant standard(s): **EN 14303:2009+A1:2013**

Certification report No.: **755200061 / 2022**

Certificate first issued on: **2012-08-08**

Notified Body No. 1023, in compliance with Regulation (EU) No 305/2011 (CPR), attests that:

- All provisions relating to the Assessment and Verification of Constancy of Performance (AVCP) described in Annex ZA of the above harmonized standard(s) under **AVCP System 1** have been applied.
- The factory production control conducted by the manufacturer has been assessed to ensure the constancy of performance of the construction product.

The assessment of performance of the construction product and findings from the initial inspection of the manufacturing plant and factory production control are summarized in the above mentioned Certification Report.

This certificate remains valid as long as neither the harmonised standard, the construction product, the AVCP methods, nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the Notified Body.

This document replace Certificate of Constancy of Performance 1390-CPR-0342/12/P.



Issued in Prague:

2022-02-21



Mgr. Jiří Heš
Representative of Notified Body No. 1023



Annex to the Certificate of Constancy of Performance 1023-CPR-1213 P
The certificate covers the following products of
ROCKWOOL Polska, Sp. z o.o., ul. Kwiatowa 14, PL 66-131 Cigacice, PL
(production line CIG1; CIG4)

Page 1 of 1

Tab. 1

Trade mark	Thermal conductivity $W.m^{-1}.K^{-1}$	Reaction to fire	Type code according to EN 14303
ALU LAMELLA MAT Larock 40 ALS KLIMAMAT	See Tab. 2	A1	MW - EN 14303 – T4 – ST(+)250 – WS1 – MV2
KLIMAFIX Ventizol	See Tab. 3	A2-s1;d0	MW - EN 14303 – T4 – ST(+)50 – WS1 – MV2

Tab. 2

Trade mark	λ_d Thermal dependence of thermal conductivity $W.m^{-1}.K^{-1}$			
	10	50	150	250
ALU LAMELLA MAT Larock 40 ALS KLIMAMAT	0,039	0,050	0,083	0,134

Tab. 3

Trade mark	λ_d Thermal dependence of thermal conductivity $W.m^{-1}.K^{-1}$	
	10	50
KLIMAFIX Ventizol	0,039	0,050



Mgr. Jiří Heš 
Representative of Notified Body No. 1023